

Reusable gas-tight protection specially designed for the shipping industry

- Rear-entry, non-encapsulating suit, specially designed for the shipping industry
- Suitable for work in confined spaces
- Made from a strong yet soft and durable material
- Ideal against alkalis and low concentration acids
- Intended for low hazard environments
- Certified to EN 943-1:2015
- SOLAS approved



Anatomically designed face seal for optimum safety and comfort.



Rear-entry gastight PVC zipper, placed horizontally across the shoulders. Covered by a splash protective flap with hook-and-loop closure.



Bayonet glove ring system for quick and simple glove exchange.



Attached boots or sewn-in socks in the suit material.



Gas-tight Protection




Re-usable

Applications

- Chemical Handling
- Industrial and Tank Cleaning
- Law Enforcement
- Petrochemicals
- Shipping

Material Construction



PRODUCT INFORMATION

	AlphaTec® LIGHT TYPE TR
Design	Rear-entry, non-encapsulating design, type TR (with face seal and without hump, BA worn outside the suit).
Garment material	Strong and flexible polyester fabric coated on each side with PVC.
Seams*	Double welded.
Face Seal	Anatomically designed rubber face seal. Optionally the suit can be fitted with a full-face mask which is glued to the hood.
Gloves & Attachments	AlphaTec® #08-354 Neoprene (chloroprene) rubber gloves in combination with rubber cuffs for added safety. The gloves are attached with a Bayonet glove ring system, which offers quick and simple glove exchange.
Footwear & Attachments	Sewn-in socks/booties made of the suit material. Alternatively attached PVC safety boots approved according to EN 20345. The boots are fixed with an ergonomically designed ring attachment, for simplified boot exchange.
Zipper*	Rear-entry gas-tight PVC zipper, placed horizontally across the shoulders. The zipper is protected by a flap/splash guard.
Ventilation	The suit is fitted with an AlphaTec® Exhaust valve on the chest, to ventilate excess air inside the suit.
Colour	Orange
Sizes	XXS - XXXL
Included with each delivery	<ul style="list-style-type: none"> • 1 pce AlphaTec® Mini Hood for protection against inward leakage between mask and face seal, in case of jet spray from behind • 1 pair of cotton comfort inner gloves • 2 pcs extra locking pins for the Bayonet glove ring system • 1 pce Molycote lubrication for the O-rings in the Bayonet glove ring system • 1 pce grease stick for lubrication of the zipper • 1 pair of comfort silicone oversocks (only for suits with sewn-in socks) • 1 pce coat hanger
Optional accessories	<ul style="list-style-type: none"> • Welded-on reinforcements on elbows and knees • Reflective tape on sleeves and/or legs • AlphaTec® #58-800 Overglove for improved cut & puncture resistance • AlphaTec® SCBA Cover • Other accessories are available upon request
Standards & Approvals	<ul style="list-style-type: none"> • EN 943-1:2015 + A1:2019 • EN 14126:2003 (infective agent protection) • EN 1149-5:2008 (antistatic suit material) • SOLAS

*Seams and zipper do not provide protection against ammonia.

For additional information, visit us at protective.ansell.com or contact us at:

Ansell Protective Solutions AB
Arenagatan 8B
215 33 Malmö
Sweden
Tel. + 46 10 205 1800
order.protective@ansell.com

Europe, Middle East and Africa
Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
Tel. + 32 2 528 74 00
Fax + 32 2 528 74 01
info.europe@ansell.com

Latin America & Caribbean
Ansell Brazil Ltda.
Rua das Figueiras 474 – 4º Andar
Bairro Jardim
SP 09080-300 Santo André, Brazil
CNPJ: 03.496.778/0001-21
+55 11 3356 3100
sac@ansell.com

North America
Ansell Healthcare LLC
111 Wood Avenue South, Suite 210
Iselin, NJ 08830, USA
Tel. + 1 800 800 0444
Fax. + 1 800 800 0445
info@ansell.com

Asia Pacific
Ansell Protective Solutions Singapore Pte. Ltd.
237, Pandan Loop,
#05-05 Westech Building
128424 Singapore
Tel. + 65 6908 4115
order.protective@ansell.com

Performance Standards



TYPE 1b



EN 14126



EN 1149-5

EN 1149-5:
This applies
only to the
suit material.



SOLAS